

FLOOR PLAN - BUILDING 04
1/8" = 1'-0"

BUILDING 04 SHALL BE CONSTRUCTED TO MEET THE STATE REQUIREMENTS FOR EDUCATIONAL FACILITIES (SREF) 1989 INCLUDING THE PUBLIC SHELTER DESIGN CRITERIA SECTION CH. 7 (24). TYPICAL ON THIS SIDE OF WALL.

NOTES:




- 5-10 METAL SHIP'S LADDER (SEE H/A-20).
- 5-12 METAL LADDER (VERTICAL).
- 9-15 UTILITY HOOKS - P.T. 2x8 W/ 8 (STANLEY CD 4109) HOOKS (MOUNT 8'-0" A.F.F.).
- 8-18 36"x28"x1/2" DOUBLE ACTION GATE - 1" PL/WOOD COVERED (A SIDE AND ALL EDGES W/ LAMINATED PLASTIC AND HIND W/ 2 HEAVY DUTY SPRING LOADED HOOKS).
- 9-4 ACOUSTICAL PANELS - 24"x28" EACH (BOTTOM @ 7'-0" A.F.F.).
- 9-5 1/2" CWB ON 3 5/8" TUBA. METAL STUDS AT 18" O.C. HEADER BOTTOM ELEVATION AT 7'-0".
- 10-1 MARKERBOARD 18"x24" W/ 12"x15" TAGBOARD ABOVE AND TAGBOARD 4"x4" TOWARDS EXTERIOR WALL.
- 10-2 MARKERBOARD 12"x24" W/ 12"x15" TAGBOARD ABOVE AND TAGBOARD 4"x4" TOWARDS EXTERIOR WALL.
- 10-3 MARKERBOARD 12"x24" W/ 12"x15" TAGBOARD ABOVE AND TAGBOARD 4"x4" TOWARDS INTERIOR WALL.
- 10-4 MARKERBOARD 18"x24" (W/ OUT MARKER TRAY) AND TAGBOARD 4"x4" TOWARDS EXT. WALL (MOUNT BOTTOM AT 8" A.F.F.).
- 10-8 MARKERBOARD 12"x24" (W/ OUT MARKER TRAY) AND TAGBOARD 4"x4" EACH SIDE (MOUNT BOTTOM AT 8" A.F.F.).
- 10-20 MOP/BROOM HOLDER.
- 10-28 TAGBOARD 10"x24" (MOUNT BOTTOM AT 8" A.F.F.).
- 10-27 TAGBOARD 8"x24".
- 10-28 TAGBOARD 4"x24".
- 10-28 MARKERBOARD 12"x24" (W/ OUT MARKER TRAY) (MOUNT BOTTOM AT 8" A.F.F.).
- 10-30 TAGBOARD 8"x24".
- 10-31 TAGBOARD 12"x24".
- 10-33 MUSICBOARD 8"x24" (MOUNT BOTTOM AT 8" A.F.F.).
- 10-34 TAGBOARD 8"x24".
- 10-35 MARKERBOARD 12"x24".
- 10-38 TAGBOARD 4"x24" (MOUNT BOTTOM AT 8" A.F.F.).
- 10-39 ROOF HATCH ABOVE AT MEZZANINE LEVEL.
- 10-40 PROJECTION SCREEN (MOUNT ON WALL 7'-0" A.F.F.).
- 10-41 TV/VCR BRACKET (MOUNT ON WALL AT 8'-8" CLEAR A.F.F.). SEE SPECIFICATIONS.
- 10-42 MOTORIZED PROJECTION SCREEN.
- 10-43 PROJECTION SCREEN 12" (MOUNT ON WALL AT 8'-0" A.F.F.).
- 11-1 CEILING HANG CURTAIN AND TRACK (BOTTOM OF CURTAIN TO BE 8" AFF).
- 11-2 STAGE CURTAIN.
- 13-1 RECESS FOR AIR CURTAIN ABOVE DOOR IN BOOTHY. RECESS SHALL BE LARGE ENOUGH FOR MAINTENANCE AND REPAIR.

GENERAL NOTES:

1. ALL INTERIOR WALLS SHALL BE 8" CMU UNO. TOP OF WALLS SHALL BE 8'-4" AFF UNO. CMU WALLS SUPPORTING ON UNDER MEZZANINE SHALL EXTEND TO BOTTOM OF DECK. SEE STRUCT FOR WALLS SUPPORTING MEZZANINE. RATED WALLS SHALL EXTEND TO UNDER SIDE OF MEZZANINE OR ROOF DECK. ALL CLASSROOM DINING WALLS TO CONTINUE TO UNDERSIDE OF DECK WITH 3 5/8" METAL STUDS @ 24" O.C. WITH 1 LAYER 1/2" CWB ON EACH SIDE WITH 3 1/2" SOUND INSULATION.
2. ALL EXTERIOR WALLS SHALL BE 8" CMU W/ BRICK VENEER. EXTEND WALLS TO UNDER SIDE OF ROOF STRUCTURE OR DECK UNO.
3. ALL PLUMBING CHASE WALLS SHALL BE 4" CMU AND TERMINATE 3" MINIMUM ABOVE FINISH CEILING. CHASE WALLS UNDER MEZZANINES SHALL EXTEND TO THE BOTTOM OF DECK.
4. ALL DIMENSIONS INDICATED ARE TO THE FACE OF THE MASONRY. WALL THICKNESS INDICATED IS NOMINAL. THEREFORE, ADJACENT ROOM DIMENSIONS MUST BE ADJUSTED EQUALLY TO REFLECT THE DIFFERENCE.
5. PROVIDE EXTERIOR METAL SOFFITS IN ALL RECESSED AREAS WHICH SHALL MATCH SOFFITS OF ROOF OVERHANGS AND COVERED WALKS IN FINISH AND ELEVATION.
6. FLAG NOTES INDICATED IN ONE CLASSROOM SHALL BE TYPICAL FOR ALL SIMILAR CLASSROOMS.
7. SEE DWG. AND SHEET # 1 FOR BUILDING SCHEDULE LAYOUT CONTROL JOINTS AND EXPANSION JOINTS. SEE SPEC FOR ALL OTHER SCHEDULES, DETAILS AND DETAILS.
8. PROVIDE A MINIMUM CLEARANCE OF 24" ON THE PULL SIDE OF ALL DOORS. U.N.O. PROVIDE A MINIMUM CLEARANCE OF 12" ON THE PUSH SIDE OF ALL DOORS U.N.O. CONTRACTOR SHALL FIELD VERIFY THESE DIMENSIONS, AND NOTIFY THE ARCHITECT OF ANY CONFLICTS PRIOR TO CONSTRUCTION.
9. FIELD VERIFY & COORDINATE MASONRY OPENINGS BETWEEN SETTING LINE AND KITCHEN W/ EQUIPMENT TO BE INSTALLED.
10. NOT USED.
11. ACCESS TO MEZZANINE ABOVE ROOMS 401A & 401B IS THROUGH ACOUSTIC TILE CEILING IN VESTIBULE 401C. WEST WALL OF MEZZANINE SHALL EXTEND 4" ABOVE FINISH CEILING TO PERMIT EQUIPMENT ACCESS. PROVIDE SAFETY RAIL PER DWG. A-20.
12. ALL STEEL COLUMNS SHALL BE ENCLOSED BY THE USE OF EITHER 4" CMU OR CMU PLASTER SECTIONS. WHERE MELLORUM ARTS' CEILING THE CMU CLOSURE SHALL EXTEND A MINIMUM OF 2 INCHES BEYOND FACE OF CABINETRY.
13. MOUNT DRINKING FOUNTAINS AT 34 3/4" (H.C.) AND 37" TO 38" SINGLE E.L.C. SHALL BE MOUNTED AT 34 3/4" TO 38".

LEGEND

- SEE DRAWING NO. A-13 AND A-14 FOR MILLWORK ELEVATIONS AND DETAILS.
- ONE (1) HOUR FIRE RATED CMU WALL CONSTRUCTION. TO 4" ABOVE CEILING UNO. CONSTRUCT 1 HR. RATED MET. STUD AND CWB WALL (UL DESIGN 488) FROM TOP OF CMU WALL TO BOTTOM OF ROOF DECK. EXCEPT AT ROOMS 105 AND 120. SEAL TIGHT ALL VOIDS W/ APPROVED 1 HOUR RATED FIRE STOPPING. ROOF INSULATION SHALL NOT BRIDGE OVER RATED WALL. PROVIDE PERMANENT SUPPORT FOR INSULATION AS REQUIRED AT EACH SIDE OF RATED WALLS.
- TWO (2) HOUR FIRE RATED CMU WALL CONSTRUCTION. TO 4" ABOVE CEILING UNO. CONSTRUCT 2 HR. RATED MET. STUD AND CWB WALL (UL DESIGN 488) FROM TOP OF CMU WALL TO BOTTOM OF ROOF DECK. EXCEPT AT ROOMS 105 AND 120. SEAL TIGHT ALL VOIDS W/ APPROVED 2 HOUR RATED FIRE STOPPING. ROOF INSULATION SHALL NOT BRIDGE OVER RATED WALL. PROVIDE PERMANENT SUPPORT FOR INSULATION AS REQUIRED AT EACH SIDE OF RATED WALLS.
- INDICATES TV BRACKET (SEE NOTE 10-41)
- SHADED AREA INDICATES LOCATION OF MEZZANINE AREAS ABOVE CEILINGS. PROVIDE MEZZANINE SEPARATION WALLS OF 1/2" CWB (MEZZANINE SIDE) ON 3 5/8" - 18 GA. MET. STUDS AT 24" O.C. W/ KEY MESH ON ATTIC SIDE. EXCEPT WHERE RATED WALLS ARE REQUIRED.



BRPH ARCHITECTS ENGINEERS, INC.
MELBOURNE / ORLANDO / WEST PALM BEACH
3875 SOUTHWEST BOULEVARD
MELBOURNE, FLORIDA 32909
School of Professional Responsibility, Florida Bar
Copyright © 2004
This plan is the property of BRPH Architects Engineers, Inc. and shall not be reproduced, copied, or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without the prior written permission of BRPH Architects Engineers, Inc.

ELEMENTARY SCHOOL "G"
LEESBURG, FLORIDA
SCHOOL BOARD OF LAKE COUNTY
FLOOR PLAN - BUILDING 04

RECORD DRAIVING

ARCH/ENGINEER OF RECORD
GARY J. FRICK
AR 6372

DESIGNED BY
GARY J. FRICK

DRAWN BY
W. TONEY

CHECKED BY
GARY J. FRICK
AR 6372

PROPERTY NO./CAR CODE
5264.01/A05

DATE
06-16-03

DRAWING NO.
A-5

SHEET
OF